


Project No. _____

Book No. _____

TITLE FIGURE 1

From Page No. _____



ess d & Understood by m ,

Date

Inv nted by


Date

To Pag No. _____

Book No._____

TITLE

FIGURE 2A




** : PHOTOMETRIC ***
 FGF 18 HS
 λ 280.0 260.0

| No. | A1 | A2 | A1-A2 | A1/A2 |
|--------|-------|-------|-------|--------|
| input1 | 2.504 | 2.504 | 0.000 | 1.0000 |
| input2 | 2.504 | 2.504 | 0.000 | 1.0000 |
| 3- | 0.486 | 0.313 | 0.033 | 0.8956 |

| ** : PHOTOMETRIC *** | | | | |
|----------------------|-------|-------|--------|--------|
| λ | 280.0 | 260.0 | | |
| No. | A1 | A2 | A1-A2 | A1/A2 |
| 1 | 0.281 | 0.315 | -0.035 | 0.8904 |
| 2 | 0.074 | 0.072 | 0.002 | 1.0255 |
| 3 | 0.074 | 0.075 | -0.001 | 0.9869 |
| 4 | 0.186 | 0.161 | 0.025 | 1.1519 |
| 5 | 0.154 | 0.124 | 0.030 | 1.2419 |
| 6 | 0.083 | 0.069 | 0.013 | 1.1940 |
| 7 | 0.051 | 0.046 | 0.005 | 1.1153 |
| 8 | 0.064 | 0.072 | -0.008 | 0.8930 |
| 9 | 0.178 | 0.223 | -0.046 | 0.7961 |
| 10 | 0.110 | 0.134 | -0.024 | 0.8211 |
| 11 | 0.053 | 0.066 | -0.012 | 0.8126 |
| 12 | 0.041 | 0.049 | -0.008 | 0.8370 |
| 13 | 0.056 | 0.062 | -0.006 | 0.9048 |
| 14 | 0.076 | 0.070 | 0.006 | 1.0906 |
| 15 | 0.043 | 0.042 | 0.001 | 1.0262 |
| 16 | 0.022 | 0.026 | -0.004 | 0.8625 |

FIGURE 2 B

B






FIGURE 3B




FIGURE 3A

Project No. _____


Book No. _____

TITLE FIGURE 4

From Page No. _____

Code No. 18-1001-44

LKB Biochemistry



Assessed & Underwritten by m ,

Date

Inventor by

Date

To Page No. _____




FIGURE 5






FIGURE 6



Project N _____
Book No. _____

Pag N ____




First pep -
Hans done on
pool H's

FGF-18 Mono S on pool 14-17 HS

± 1.0 at 260 nm

To Page No.

FIGURE 9



FGF18 effect on neural stem cell proliferation






FIGURE 10



bFGF



F4F 18

FIGURE 11

FIGURE 12